



ELSEVIER

Solar Energy Materials and Solar Cells 43 (1996) 429–432

Solar Energy Materials
and Solar Cells

Author index to volume 43

Agrawal, B.L., <i>see</i> Sharma, S.K.	29
Antonio, M.J., <i>see</i> Sahu, S.N.	223
Araújo, G.L., <i>see</i> Martí, A.	203
Ba, B. and M. Kane, Erratum: Influence of wavelength on transient short-circuit current in polycrystalline silicon solar cells	321
Başol, B.M., V.K. Kapur, C.R. Leidholm, A. Halani and K. Gledhill, Flexible and light weight copper indium diselenide solar cells on polyimide substrates	93
Basu, P.K., B.C. Chakravarty, S.N. Singh, P. Dutta and R. Kesavan, Measurement of shallow dopant impurity profile in silicon using anodic sectioning and Lange method of Hall measurement	15
Bauer, S., R.O. Dusane, W. Herbst, F. Diehl, B. Schröder and H. Oechsner, p-i interface engineering and i-layer control of hot-wire a-Si:H based p-i-n solar cells using in-situ ellipsometry	413
Baumgartner, F.P., <i>see</i> Nigge, K.-M.	335
Beier, J., <i>see</i> Moons, E.	73
Bell, J.M., <i>see</i> Wang, J.	377
Benati, A., M.A. Butturi, C. Capperdoni, M.C. Carotta, G. Martinelli, M. Merli, L. Passari, G. Sartori, R. Van Steenwinkel and G.M. Youssef, Comparison between normal and reverse thin crystalline silicon solar cells	183
Bucher, E., <i>see</i> Nigge, K.-M.	335
Bucher, E., <i>see</i> Schön, J.H.	59
Burstein, L., <i>see</i> Moons, E.	73
Butturi, M.A., <i>see</i> Benati, A.	183
Cahen, D., <i>see</i> Moons, E.	73
Capperdoni, C., <i>see</i> Benati, A.	183
Caputo, D. and G. de Cesare, Activation of dopant in the p-layer of amorphous silicon solar cells under illumination	263
Carotta, M.C., <i>see</i> Benati, A.	183
Chakrabarti, R., B. Maiti, S. Chaudhuri and A.K. Pal, Photoconductivity of Cu(In, Ga)Se ₂ films	237
Chakravarty, B.C., <i>see</i> Basu, P.K.	15
Chaudhuri, S., <i>see</i> Chakrabarti, R.	237
Chuan, M., <i>see</i> Dohrmann, J.K.	273
Czanderna, A.W. and F.J. Pern, Encapsulation of PV modules using ethylene vinyl acetate copolymer as a pottant: A critical review	101
Dai, X.M. and Y.H. Tang, A simple general analytical solution for the quantum efficiency of front-surface-field solar cells	363

Datta, S.K., <i>see</i> Pal, P.K.	1
de Cesare, G., <i>see</i> Caputo, D.	263
De Paoli, M.-A., <i>see</i> Micaroni, L.	79
Diehl, F., <i>see</i> Bauer, S.	413
Ding, L., <i>see</i> Wang, H.	345
Dlamini, M.D., Electrical/electronic effects of titanium and iron impurities in EFG and FZ solar cell silicon: SPV/EBIC analysis	353
Dohrmann, J.K., M. Chuan and N.-S. Schaaf, Photocalorimetry at semiconductor electrodes: theory, technique and applications	273
Dugas, J., Modelling of material properties influence on back junction thin polycrystalline silicon solar cells	193
Dusane, R.O., <i>see</i> Bauer, S.	413
Dutta, P., <i>see</i> Basu, P.K.	15
Fujitani, M., <i>see</i> Yae, S.	311
Gal, D., <i>see</i> Moons, E.	73
Gledhill, K., <i>see</i> Başol, B.M.	93
Grätzel, M., <i>see</i> Roušar, I.	249
Green, M. and K. Pita, Non-stoichiometry in thin film dilute tungsten bronzes: M_xWO_{3-y}	393
Guillén, C. and J. Herrero, Improvement of the optical properties of electrodeposited $CuInSe_2$ thin films by thermal and chemical treatments	47
Guillén, C., <i>see</i> Martínez, M.A.	297
Gutiérrez, M.T., <i>see</i> Martínez, M.A.	297
Halani, A., <i>see</i> Başol, B.M.	93
Hariskos, D., <i>see</i> Moons, E.	73
Herbst, W., <i>see</i> Bauer, S.	413
Herrero, J., <i>see</i> Guillén, C.	47
Herrero, J., <i>see</i> Martínez, M.A.	297
Hodes, G., <i>see</i> Moons, E.	73
Hryniewicz, T., <i>see</i> Sienicki, W.	67
Kane, M., <i>see</i> Ba, B.	321
Kapur, V.K., <i>see</i> Başol, B.M.	93
Kavan, L., <i>see</i> Roušar, I.	249
Kesavan, R., <i>see</i> Basu, P.K.	15
Kronik, L., <i>see</i> Moons, E.	73
Lee, C., K. Lim and J. Song, Highly textured ZnO thin films doped with indium prepared by the pyrosol method	37
Leidholm, C.R., <i>see</i> Başol, B.M.	93
Lihui, G., Z. Yibin and S. Tietun, Energy band structure and sheet resistance of MIS inversion layer for silicon solar cells	325
Lim, K., <i>see</i> Lee, C.	37
Lukášek, P., <i>see</i> Roušar, I.	249
Maiti, B., <i>see</i> Chakrabarti, R.	237
Martí, A. and G.L. Araújo, Limiting efficiencies for photovoltaic energy conversion in multigap systems	203
Martinelli, G., <i>see</i> Benati, A.	183
Martínez, M.A., C. Guillén, M.T. Gutiérrez and J. Herrero, Optimisation of CdS-TCO bilayers for their application as windows in photovoltaic solar cells	297
Merli, M., <i>see</i> Benati, A.	183

- Micaroni, L. and M.-A. De Paoli, Photoelectrochemistry of poly(3-methylthiophene).
I: Surface morphology and thickness effect 79
- Mishori, B., *see* Moons, E. 73
- Moons, E., D. Gal, J. Beier, G. Hodes, D. Cahen, L. Kronik, L. Burstein, B. Mishori, Y. Shapira, D. Hariskos and H.-W. Schock, Effect of air annealing on the electronic properties of CdS/Cu(In,Ga)Se₂ solar cells 73
- Mukhopadhyay, K., *see* Pal, P.K. 1
- Nakanishi, I., *see* Yae, S. 311
- Nakato, Y., *see* Yae, S. 311
- Nigge, K.-M., F.P. Baumgartner and E. Bucher, CVT-growth of AgGaSe₂ single crystals: electrical and photoluminescence properties 335
- Oechsner, H., *see* Bauer, S. 413
- Ozer, N., *Sol-Gel Optics: Processing and Applications*, Lisa C. Klein (Ed.), Kluwer Academic Publishers, Boston, 1994. 592 pages. ISBN: 0-7923-9424-0 319
- Pal, A.K., *see* Chakrabarti, R. 237
- Pal, P.K., S.K. Datta, K. Mukhopadhyay and H. Saha, Role of antireflection coating in microgrooved silicon solar cells 1
- Papageorgiou, N., *see* Roušar, I. 249
- Passari, L., *see* Benati, A. 183
- Pern, F.J., *see* Czanderna, A.W. 101
- Pita, K., *see* Green, M. 393
- Roušar, I., M. Rudolf, P. Lukášek, L. Kavan, N. Papageorgiou and M. Grätzel, Optimization of parameters of an electrochemical photovoltaic regenerative solar cell 249
- Rudolf, M., *see* Roušar, I. 249
- Saha, H., *see* Pal, P.K. 1
- Sahu, S.N., M.J. Antonio and C. Sanchez, Composition, surface topography, structure, Raman, and electrochemical/photoelectrochemical characterisation of Cd_xHg_{1-x}Te films 223
- Sanchez, C., *see* Sahu, S.N. 223
- Sartori, G., *see* Benati, A. 183
- Schaaf, N.-S., *see* Dohrmann, J.K. 273
- Schock, H.-W., *see* Moons, E. 73
- Schön, J.H. and E. Bucher, Computer modeling of the performance of some metal/dielectric multilayers for high-temperature solar selective absorbers 59
- Schröder, B., *see* Bauer, S. 413
- Shapira, Y., *see* Moons, E. 73
- Sharma, S.K., N. Srinivasamurthy and B.L. Agrawal, Investigation of the current break-down phenomena in solar cells 29
- Sienicki, W. and T. Hryniewicz, Tungsten diselenide heterojunction photoelectrodes 67
- Singh, S.N., *see* Basu, P.K. 15
- Smestad, G., Book reviews 425
- Song, J., *see* Lee, C. 37
- Srinivasamurthy, N., *see* Sharma, S.K. 29
- Suresh, M.S., Measurement of solar cell parameters using impedance spectroscopy 21
- Tang, Y.H., *see* Dai, X.M. 363
- Tietun, S., *see* Lihui, G. 325
- Tsuda, R., *see* Yae, S. 311

Uetsuji, M., <i>see</i> Yae, S.	311
Van Steenwinkel, R., <i>see</i> Benati, A.	183
Wang, H., M. Zhang, S. Yang, L. Zhao and L. Ding, Preparation and properties of electrochromic tungsten oxide film	345
Wang, J. and J.M. Bell, Influence of deposition temperature on electrochromic properties of sputtered WO ₃ thin films	377
Yae, S., M. Fujitani, I. Nakanishi, M. Uetsuji, R. Tsuda and Y. Nakato, Minority carrier controlled PEC solar cells, using n-Si electrodes modified with LB layers of ultrafine Pt particles	311
Yang, S., <i>see</i> Wang, H.	345
Yibin, Z., <i>see</i> Lihui, G.	325
Youssef, G.M., <i>see</i> Benati, A.	183
Zhang, M., <i>see</i> Wang, H.	345
Zhao, L., <i>see</i> Wang, H.	345



ELSEVIER

Solar Energy Materials and Solar Cells 43 (1996) 433-434

Solar Energy Materials
and Solar Cells

Subject index to volume 43

Absorptance	59	Electrochromic	393
Acetic acid enhanced-degradation of EVA	101	Electrochromism	345, 377
AgGaSe ₂	335	Ellipsometry	413
Amorphous materials	345	Energy band structure	325
Amorphous silicon	263, 413	Energy efficiency	273
Annealing	353	Ethylene Vinyl Acetate (EVA) encapsulant	101
Anodic oxidation	15	EVA degradations mechanisms	101
AR coating	1	EVA discoloration and browning	101
		EVA stabilization and formulations	101
		EVA yellowing	101
Back junction solar cells	193		
Band diagram	73	Factors that affect the EVA discoloration	
Band line-up	73	rate	101
BSFR cell	21	Flexible solar cell	93
		Formation of discoloring chromophores in	
Cadmium sulfide	297	EVA	101
Cd _{1-x} Hg _x Te	223	Future prospects of EVA as a PV module	
CdS	73	encapsulant	101
Cell performance losses from EVA discoloration	101	n-GaAs	273
Chemical Vapor Transport	335	Grain boundaries and size	353
Competitive reactions	273		
Conductive polymers	79	Hall voltage	15
Conversion efficiency	413	Heterojunction	73
Copper indium selenide	47, 93		
Crystalline silicon	311	Impedance spectroscopy	21
Crystals annealing	335	Indium doped	37
Cu(In,Ga)Se ₂	73, 237	Indium tin oxide	297
CuInSe ₂	73	Interband impact generation	29
Curing generated chromophores in EVA	101	Intercalation	67
Current break-down	29	Interfaces	413
		Interface state	325
Degradation	263	Internal quantum efficiency	273
Diffusion capacitance	21, 29		
Dopant activation	263	Junction break-down	29
Dopant profile	15		
		Lightweight solar cell	93
Efficiency	73	Limiting efficiency	203
Electrical conductivity	335	Line current collectors	249
Electrical properties	345, 353	Liquid junctions	311
Electrochemical electrodes	377		

- | | | | |
|-------------------------------------|----------|--|---------------------------|
| Metal/dielectric multilayers | 59 | Semiconductors | 67, 223, 237 |
| Microgrooved | 1 | Semiconductors device models | 363 |
| MIS/IL | 325 | Semiconductor thin films | 297 |
| Multigap | 203 | Service lifetime prediction of PV cells from
accelerated life testing | 101 |
| Non-stoichiometric | 393 | Sheet resistance | 325 |
| Open-circuit photovoltages | 311 | Short-circuit currents | 363 |
| Optical properties | 47 | Silicon | 1, 183 |
| Optical shutter | 393 | Simulation | 59 |
| Optimization | 73, 249 | Solar cells | 1, 21, 203, 223, 263, 363 |
| Peltier heat | 273 | Space solar cell | 93 |
| Photocalorimetry | 273 | Spectral response | 223, 377 |
| Photoconductivity | 237 | Spreading resistance | 15 |
| Photoelectrochemical cells | 311 | Sputtered coatings | 377 |
| Photoelectrochemistry | 79 | Summary: EVA as an encapsulant - What is
and is not known | 101 |
| Photoelectrodes | 67, 311 | Textured surface | 37 |
| Photoelectrolysis | 273 | Thermal analysis | 345 |
| Photothermal degradation of EVA | 101 | Thermal and chemical treatments | 47 |
| Photovoltaics | 203 | Thermal degradation of EVA | 101 |
| Polycrystalline | 73, 237 | Thermodynamics | 203 |
| Polycrystalline silicon | 193, 353 | Thin cell | 183 |
| Processing effects on EVA stability | 101 | Thin films | 47, 73, 223, 377 |
| PV cell encapsulation | 101 | Thin film solar cells | 193, 297 |
| PV module failures | 101 | TiO ₂ | 273 |
| PV module performance losses | 101 | Transition metals | 353 |
| Pyrosol spray | 37 | Transparent conducting oxides | 37 |
| Quantum mechanical tunneling | 29 | Tungsten bronze | 393 |
| Raman | 223 | I-V characteristics | 413 |
| Regenerative solar cell | 249 | XRD | 223 |
| SEM | 223 | Zinc oxide | 297 |
| Semiconductor junctions | 363 | ZnO | 73 |

